


PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | | |
|---|--|---|--|
| (51) International Patent Classification ⁶ : G06F 17/30 | | A2 | (11) International Publication Number: WO 99/35595 |
| | | | (43) International Publication Date: 15 July 1999 (15.07.99) |
| (21) International Application Number: PCT/FI98/01027 (22) International Filing Date: 29 December 1998 (29.12.98) (30) Priority Data: 974662 31 December 1997 (31.12.97) FI (71) Applicant (for all designated States except US): SONERA OY [FI/FI]; Teollisuuskatu 15, FIN-00510 Helsinki (FI). (72) Inventors; and (75) Inventors/Applicants (for US only): LAHTINEN, Pasi [FI/FI]; Aittatie 1 A 3, FIN-00390 Helsinki (FI). HEINONEN, Petteri [FI/FI]; Postipuuntie 12 D 52, FIN-02600 Espoo (FI). (74) Agent: PAPULA REIN LAHTELA OY; (Fredrikinkatu 61 A) P.O. Box 981, FIN-00101 Helsinki (FI). | | (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>In English translation (filed in Finnish). Without international search report and to be republished upon receipt of that report.</i> | |

(54) Title: METHOD AND SYSTEM FOR THE BROWSING OF HYPERTEXT PAGES**(57) Abstract**

The present invention relates to a method and system for the browsing of hypertext pages by means of a mobile station in a telecommunication system, said system comprising a mobile station (1), conversion means (2) and a telecommunication network (3). The invention makes it possible to browse WWW pages and follow hyperlinks on the display of an ordinary mobile station. The invention is particularly well suited for mobile stations supporting the Smart Messaging definition.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | | | |
|----|--------------------------|----|--|----|--|----|--------------------------|
| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | ML | Mali | TR | Turkey |
| BG | Bulgaria | HU | Hungary | MN | Mongolia | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MR | Mauritania | UA | Ukraine |
| BR | Brazil | IL | Israel | MW | Malawi | UG | Uganda |
| BY | Belarus | IS | Iceland | MX | Mexico | US | United States of America |
| CA | Canada | IT | Italy | NE | Niger | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NL | Netherlands | VN | Viet Nam |
| CG | Congo | KE | Kenya | NO | Norway | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NZ | New Zealand | ZW | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's Republic of Korea | PL | Poland | | |
| CM | Cameroon | KR | Republic of Korea | PT | Portugal | | |
| CN | China | KZ | Kazakstan | RO | Romania | | |
| CU | Cuba | LC | Saint Lucia | RU | Russian Federation | | |
| CZ | Czech Republic | LI | Liechtenstein | SD | Sudan | | |
| DE | Germany | LK | Sri Lanka | SE | Sweden | | |
| DK | Denmark | LR | Liberia | SG | Singapore | | |
| EE | Estonia | | | | | | |

METHOD AND SYSTEM FOR THE BROWSING OF HYPERTEXT PAGES

The present invention relates to telecommunication. In particular, the invention relates to an advanced method for the browsing of hypertext pages using a mobile station.

With the development of the World Wide Web (WWW), the Internet has become one of the fastest growing telecommunication segments. In the near future, increasing integration of the WWW and digital mobile communication systems is to be expected, which means that WWW pages can be browsed and various services associated with them can be used e.g. by means of a GSM telephone. The problem so far has been that in most cases WWW pages have been designed to be used via a graphic user interface and using e.g. a mouse, whereas a typical mobile station has a very limited text-based display with a keypad user interface. Therefore, displaying e.g. hyperlinks and following them is very difficult. One solution to this problem is the Nokia Communicator mobile station, which, in addition to normal mobile station properties, contains a small computer system with a graphic user interface. However, adding a computer system makes the device too expensive, which again makes it unavailable to the average user. A Nokia product called Artus NetGate again allows the user to search information on WWW pages by entering search words via an ordinary mobile station. However, this involves the problem that WWW pages cannot be freely browsed. It is only possible to search pages predetermined by the operator.

The object of the present invention is to disclose a new type of method to eliminate the drawbacks described above.

A specific object of the present invention is to disclose a method and system which make it possible

to browse WWW pages and move from page to page by following hyperlinks using an ordinary mobile station.

As for the features characteristic of the invention, reference is made to the claims.

5 In the method of the invention for browsing
hypertext pages using a mobile station in a telecommu-
nication system comprising a telecommunication network,
such as the Internet, conversion means, such as a
proxy-type server, and which telecommunication system
10 comprises a mobile station that preferably supports the
Smart Messaging definition, and/or which mobile station
preferably comprises soft keys, when a hypertext page
or a hyperlink is selected via the mobile station, the
selection is transmitted to the conversion means. Next,
15 using the conversion means, the hypertext page corre-
sponding to the selection is fetched from the telecom-
munication network. Further using the conversion means,
the page is converted into a form that allows it to be
presented on the display of the mobile station. The
20 converted page is transmitted to the mobile station and
presented on the display of the mobile station. Accord-
ing to the invention, hyperlinks present in the re-
trieved hypertext page are identified using the conver-
sion means. Further, according to the invention, using
25 the conversion means, information regarding the re-
trieved hypertext pages and the hyperlinks contained in
them is saved. The information to be saved comprises
e.g. the URL-format addresses of the pages/links (Uni-
form Resource Locator, URL). Further, according to the
30 invention, the hyperlinks contained in the hypertext
page to be transmitted to the mobile station and the
rest of the contents of the page are transmitted to the
mobile station separately from each other.

In an embodiment of the invention, the links
35 contained in the page to be transmitted to the mobile
station are sent as a form comprising descriptions of
the links e.g. in a menu format as well as link-

specific identification data, such as e.g. a code by which the conversion means can find the link corresponding to the description and its URL address in the information saved. The rest of the contents of the hypertext page except the links is transmitted to the mobile station in the form of a SMS, USSD or corresponding message (Short-Message Service Centre, SMS; Unstructured Supplementary Service Data, USSD). If the contents exceed the maximum message length, the text will be divided into parts and sent in several messages.

In an embodiment of the invention, a hypertext page is selected for presentation by sending from the mobile station to the conversion means a form comprising identification data, such as e.g. the URL-format address of the page, identifying the selected hypertext page. To follow a hyperlink, the link is selected in a menu, whereupon a form comprising user-specific identification information as to which page is wanted and which link is to be followed is sent to the conversion means.

In an embodiment of the invention, hyperlinks are displayed and/or selected using soft keys. Soft keys are general-purpose keys used in certain mobile station models for purposes varying according to the situation. For instance, a menu containing hyperlinks can be displayed by pressing a predetermined soft key, and a link in the menu can be selected with a soft key.

In an embodiment of the invention, the form is a TTML form, a WML form or equivalent (Tagged Text Markup Language, TTML; Wireless Markup Language, WML).

In an embodiment of the invention, the hypertext page to be retrieved from the telecommunication network is a WWW page.

In an embodiment of the invention, the mobile station is based on digital mobile communication tech-

nology, such as the GSM, DCS1800 or equivalent technology.

As compared with prior art, the invention provides the advantage that it makes it possible to browse
5 WWW pages and follow hyperlinks on the limited display of an ordinary mobile station. The user is not required to know the exact location of the data for each link, such as the URL address, but the user can find the desired information by "surfing". The invention is especially well suited for use in mobile stations supporting the Smart Messaging definition. No accessories such as joystick or trackball type devices need to be added to mobile stations to make it easier to follow the links, but links can be easily and flexibly followed
10 using existing mobile stations with only a keypad user interface.

In the following, the invention will be described by the aid of a few examples of its embodiments by referring to the attached drawing, wherein

20 Fig. 1 presents an embodiment of the method of the invention in the form of a flow diagram; and

Fig. 2 presents an embodiment of the system of the invention in the form of a flow diagram.

Fig. 1 presents a flow diagram representing an
25 embodiment of the procedure of the invention as an example. The user's GSM telephone contains a certain type of TTML form with an input field, in which the user enters the URL address of the desired WWW page. The form is sent to a server, which gets the required WWW page from the Internet. The server identifies the hyperlinks on the page and saves appropriate page information, such as the URL addresses and the links in the page. In addition, the server converts the page into a form allowing it to be presented on the display of a GSM telephone. At this stage, e.g. graphics included in the
30 page are removed as they cannot be reproduced on a telephone display. The contents of the page excluding
35

the links are sent to the user in the form of a normal short message. If the text of the page exceeds the maximum length of a short message, then it is divided into parts and sent in several short messages. The user
5 reads the text. After that, a TTML form containing the links for the page just read/browsed by the user is sent to the GSM telephone. This form contains a menu with descriptions of the links. The form does not contain the URL addresses of the links but only codes that
10 the server can use to find the appropriate link and its URL address in the information it has saved. The user can follow a desired link by selecting the link in the menu and sending the form back to the server. The form sent back contains user-specific identification data
15 indicating the WWW page concerned and the link to be followed.

Fig. 2 presents a flow diagram representing an embodiment of the system of the invention as an example. Using a GSM telephone 1, a desired WWW page is selected. The selection is transmitted to a proxy-type
20 server 2, which gets the page from the Internet 3 and delivers it in a converted form to the GSM telephone. The server and the Internet communicate using the HTTP protocol (HyperText Transfer Protocol, HTTP). The
25 server and the GSM telephone communicate using SMS messages and TTML forms.

The present application is based on Finnish application FI 980484, which has been filed on 3.3.1998 and whose contents are included here by this reference.

30 The invention is not restricted to the examples of its embodiments described above, but many variations are possible within the scope of the inventive idea defined by the claims.

X
1-3
9-22
28-33

CLAIMS

1. Method for the browsing of hypertext pages by using a mobile station, in which method, to select a
5 hypertext page or hyperlink from the mobile station, a selection is transmitted from the mobile station, the hypertext page corresponding to the selection is retrieved from a telecommunication network, the page is converted into a form allowing it to be presented via
10 the mobile station, the page is transmitted to the mobile station and presented on the display of the mobile station, characterised in that
- the hyperlinks present in the hypertext page to be transmitted to the mobile station are identified;
 - 15 - information regarding the hypertext page and the hyperlinks contained in it is saved;
 - the hyperlinks and the rest of the contents of the hypertext page are transmitted to the mobile station separately.
- 20 2. Method as defined in claim 1, characterised in that
- the hyperlinks are transmitted to the mobile station as a form comprising descriptions of the links and link-specific identification data;
 - 25 - the rest of the contents of the hypertext page excluding the hyperlinks is transmitted to the mobile station in the form of a SMS, USSD or corresponding message.
- 30 3. Method as defined in claim 1 or 2, characterised in that
- the selection of a hypertext page is transmitted as a form comprising identification data for the hypertext page selected; and
 - 35 - the hyperlink selection is transmitted as a form comprising identification data for the hyperlink selected.

4. Method as defined in any one of claims 1 - 3, characterised in that hyperlinks are displayed and/or selected by utilising the soft keys of the mobile station.

5 5. Method as defined in any one of claims 1 - 4, characterised in that the form is a TTML form, a WML form or equivalent.

6. Method as defined in any one of claims 1 - 5, characterised in that the hypertext page
10 is a WWW page.

7. Method as defined in any one of claims 1 - 6, characterised in that the mobile station is a digital mobile station.

8. System for the browsing of hypertext pages
15 by using a mobile station, said system comprising a mobile station (1), which is used to select and present a hypertext page or hyperlink; conversion means (2) for retrieving and converting a desired hypertext page; and a telecommunication network (3), from which the hypertext page is retrieved, characterised in that
20 the system comprises

- identification means (2) for identifying the hyperlinks of the hypertext page to be transmitted to the mobile station (1);

25 - storage means (2) for saving information regarding the hypertext page and the hyperlinks contained in;

- discriminating means (2) for transmitting the hyperlinks and the rest of the contents of the hypertext page to the mobile station (1) separately from
30 each other.

9. System as defined in claim 8, characterised in that the system comprises transmission means (2) for transmitting to the mobile station (1)

35 - the hyperlinks as a form comprising descriptions of the links and link-specific identification data; and

- the rest of the contents of the hypertext page in the form of a SMS, USSD or equivalent message.

10. System as defined in claim 8 or 9, characterised in that the system comprises
5 transmission means (1) for transmitting a selection, said transmission means being used to transmit to the conversion means (2)

- a hypertext page selection as a form comprising identification data for the hypertext page selected;
10 lected; and

- a hyperlink selection as a form comprising identification data for the hyperlink selected.

11. System as defined in any one of claims 8 - 10, characterised in that the mobile station
15 (1) comprises soft keys (1) which are used to present and/or select hyperlinks.

12. System as defined in any one of claims 8 - 11, characterised in that the form is a TTML form, WML form or a corresponding form.

20 13. System as defined in any one of claims 8 - 12, characterised in that the hypertext page is a WWW page.

14. System as defined in any one of claims 8 - 13, characterised in that the mobile station
25 (1) is a digital mobile station.

1/1




Fig. 1




Fig. 2

This Page Blank (uspto)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶ :
G06F 17/30, H04Q 7/22

A3

(11) International Publication Number: WO 99/35595

(43) International Publication Date: 15 July 1999 (15.07.99)

(21) International Application Number: PCT/FI98/01027

(22) International Filing Date: 29 December 1998 (29.12.98)

(30) Priority Data:
974662 31 December 1997 (31.12.97) FI

(71) Applicant (for all designated States except US): SONERA OY
[FI/FI]; Teollisuuskatu 15, FIN-00510 Helsinki (FI).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LAHTINEN, Pasi [FI/FI];
Aittatie 1 A 3, FIN-00390 Helsinki (FI). HEINONEN,
Petteri [FI/FI]; Postipuuntie 12 D 52, FIN-02600 Espoo (FI).

(74) Agent: PAPULA REIN LAHTELA OY; (Fredrikinkatu 61 A)
P.O. Box 981, FIN-00101 Helsinki (FI).


(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR,
BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP,
KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK,
MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU,
ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG,
ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI,
FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE,
SN, TD, TG).

Published

With international search report.

(88) Date of publication of the international search report:
10 September 1999 (10.09.99)

(54) Title: METHOD AND SYSTEM FOR BROWSING HYPERTEXT PAGES USING A MOBILE STATION



(57) Abstract

The present invention relates to a method and system for the browsing of hypertext pages by means of a mobile station in a telecommunication system, said system comprising a mobile station (1), conversion means (2) and a telecommunication network (3). The invention makes it possible to browse WWW pages and follow hyperlinks on the display of an ordinary mobile station. The invention is particularly well suited for mobile stations supporting the Smart Messaging definition.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | | | |
|----|--------------------------|----|--|----|--|----|--------------------------|
| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | ML | Mali | TR | Turkey |
| BG | Bulgaria | HU | Hungary | MN | Mongolia | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MR | Mauritania | UA | Ukraine |
| BR | Brazil | IL | Israel | MW | Malawi | UG | Uganda |
| BY | Belarus | IS | Iceland | MX | Mexico | US | United States of America |
| CA | Canada | IT | Italy | NE | Niger | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NL | Netherlands | VN | Viet Nam |
| CG | Congo | KE | Kenya | NO | Norway | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NZ | New Zealand | ZW | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's Republic of Korea | PL | Poland | | |
| CM | Cameroon | KR | Republic of Korea | PT | Portugal | | |
| CN | China | KZ | Kazakstan | RO | Romania | | |
| CU | Cuba | LC | Saint Lucia | RU | Russian Federation | | |
| CZ | Czech Republic | LI | Liechtenstein | SD | Sudan | | |
| DE | Germany | LK | Sri Lanka | SE | Sweden | | |
| DK | Denmark | LR | Liberia | SG | Singapore | | |
| EE | Estonia | | | | | | |

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 98/01027

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: G06F 17/30, H04Q 7/22

According to International Patent Classification (IPC) or to both national classification and IPC.

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: G06F, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, EPODOC

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|---|-----------------------|
| P,X | WO 9811744 A1 (NOKIA TELECOMMUNICATIONS OY), 19 March 1998 (19.03.98), page 14, line 2 - line 18; page 14, line 33 - page 15, line 5; page 2, line 23 - page 5, line 23, abstract | 1,8 |
| | -- | |
| A | EP 0794642 A2 (NOKIA MOBILE PHONES LTD.), 10 Sept 1997 (10.09.97) | 1-14 |
| | -- | |
| A | WO 9727546 A1 (EX MACHINA, INC), 31 July 1997 (31.07.97) | 1-14 |
| | -- | |

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

21 June 1999

Date of mailing of the international search report

24-06-1999

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Sylvain Dunand/MN
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 98/01027

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|---|-----------------------|
| P,A | Microbrowsers For Web-Enabled Cellphones - Unwired Planet. Newsbytes, pNEW04300033 April 30, 1998 ----- | 1-14 |

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT
Information on patent family members

01/06/99

International application No.
PCT/FI 98/01027

| Patent document cited in search report | | | Publication date | Patent family member(s) | | | Publication date |
|---|---------|----|---------------------|----------------------------|-----------|--|---------------------|
| WO | 9811744 | A1 | 19/03/98 | AU | 4304197 A | | 02/04/98 |
| | | | | EP | 0861565 A | | 02/09/98 |
| | | | | FI | 963659 A | | 17/03/98 |
| ----- | | | | | | | |
| EP | 0794642 | A2 | 10/09/97 | FI | 102868 B | | 00/00/00 |
| | | | | FI | 960894 A | | 27/08/97 |
| ----- | | | | | | | |
| WO | 9727546 | A1 | 31/07/97 | AU | 1754397 A | | 20/08/97 |
| | | | | CA | 2243555 A | | 31/07/97 |
| | | | | EP | 0886826 A | | 30/12/98 |
| ----- | | | | | | | |

This Page Blank (uspto)